




# MOD FILES & STORAGE PEDS



## List Price





Model #	depth	width	height	weight	Black Vinyl Drawers	Plywood Drawers
<b>PEDESTAL, 2 BOX DRAWER, 1 FILE DRAWER</b>						
MN3N 191628	19-1/2	16	28	74	522	580
MN3N 191928	19-1/2	19	28	85	N/A	645
MN3N 193028	19-1/2	30	28	102	766	880
MN3N 193628	19-1/2	36	28	123	N/A	927
MN3N 194228	19-1/2	42	28	144	N/A	1,119



Model #	depth	width	height	weight	Black Vinyl Drawers	Plywood Drawers
<b>PEDESTAL, 1 FILE DRAWER, 2 BOX DRAWER</b>						
MN3U 191628	19-1/2	16	28	74	522	580
MN3U 191928	19-1/2	19	28	85	N/A	645
MN3U 193028	19-1/2	30	28	102	766	880
MN3U 193628	19-1/2	36	28	123	N/A	927
MN3U 194228	19-1/2	42	28	144	N/A	1,119



Model #	depth	width	height	weight	Black Vinyl Drawers	Plywood Drawers
<b>PEDESTAL, 4 BOX DRAWERS</b>						
MN4N 191628	19-1/2	16	28	75	522	580
MN4N 191928	19-1/2	19	28	86	N/A	645
MN4N 193028	19-1/2	30	28	103	766	880
MN4N 193628	19-1/2	36	28	124	N/A	927
MN4N 194228	19-1/2	42	28	145	N/A	1,119




Model #	depth	width	height	weight	Black Vinyl Drawers	Plywood Drawers
<b>PEDESTAL, 2 FILE DRAWERS</b>						
MN2N 191628	19-1/2	16	28	75	522	580
MN2N 191928	19-1/2	19	28	86	N/A	645
MN2N 193028	19-1/2	30	28	103	766	880
MN2N 193628	19-1/2	36	28	124	N/A	927
MN2N 194228	19-1/2	42	28	145	N/A	1,119

**NOTES:** All files and storage pedestals are designed for under desk surface applications only  
 All pedestals have unfinished backs and tops  
 Storage pedestals are 3/4" thermofused melamine plastic laminate w/matching edge  
 All drawers feature full extension drawer suspension  
 Drawer faces are attached onto 9-ply plywood or black vinyl drawer boxes, black bottom  
 Plywood drawers are finished with a four step finishing process  
 Files are set up for standard and legal filing side-to-side  
 Storage pedestals 24" and wider supplied with black metal wire pull (MW)  
 see Options page for other colors  
 Adjustable glides are supplied to level pedestals

### OPTIONS:

HWP	Continuous hardwood pull	(up to 16" length of pull)	37
	Continuous hardwood pull	(24" - 36" length of pull)	68
WF	Waterfall Pull - Black		26
SF	Soft Waterfall Pull - Black or Nickel		26
MF	Flexline Style Pull - Black		26
FS	Flat Surface Pull - Black or Aluminum		26
MW	Metal Wire Pull - Black, Brass, Aluminum, Chrome		12
LF	Locking Face		75
HDL	Hinged Door Lock		75
POS	Pull Out Shelf		75
FBT	Finished Back & Top		94
FBF	Front to Back Filing (standard side-to-side)		30
CST	Casters, four per unit		87
Non-Standard Matte Laminate on Entire Unit (WilsonArt, Nevamar, Formica, Pionite)			add 40%

# MOD FILES & STORAGE PEDS




Model #                      depth    width    height    weight                      List Price

## OPEN STORAGE BOOKCASE

MNAN 191628	19-1/2	16	28	49	334
MNAN 192428	19-1/2	24	28	59	346
MNAN 193028	19-1/2	30	28	71	372
MNAN 193628	19-1/2	36	28	77	383

With black masonite back and one adjustable shelf, 10-7/8" clearance above & below




## HINGED DOOR BOOKCASE WITH BLACK MASONITE BACK

MNH* 191628	19-1/2	16	28	59	489
MNHN 192428	19-1/2	24	28	74	512
MNHN 193028	19-1/2	30	28	92	615
MNHN 193628	19-1/2	36	28	102	633

\* Specify hinge location, L for left or R for right side


One adjustable shelf supplied  
MW Pull supplied (metal wire pull)



## CPU HOLDER WITH SURGE PROTECTOR

MNEN 191128	19-1/2	11-1/4	28	35	528
-------------	--------	--------	----	----	-----


With open back for air flow and unfinished top



## CPU HOLDER WITHOUT SURGE PROTECTOR

MNON 191128	19-1/2	11-1/4	28	33	355
-------------	--------	--------	----	----	-----

With open back for air flow and unfinished top  
adjustable shelf available as an option



## PEDESTAL, 20" WIDE UNIT WITH 1 ADJUSTABLE SHELF

MNCN 192012	19-1/2	20	12	30	362
MNCN 192020	19-1/2	20	20	48	458

Supplied with finished back, top, and casters


**NOTES:** All files and storage pedestals are designed for under desk surface applications only  
All pedestals have unfinished backs and tops  
Storage pedestals are 3/4" thermofused melamine plastic laminate w/matching edge  
Adjustable glides are supplied to level pedestals

### OPTIONS:

HWP	Continuous hardwood pull	(up to 16" length of pull)	per pull	37
	Continuous hardwood pull	(24" - 36" length of pull)	per pull	68
WF	Waterfall Pull - Black		per pull	26
SF	Soft Waterfall Pull - Black or Nickel		per pull	26
MF	Flexline Style Pull - Black		per pull	26
FS	Flat Surface Pull - Black or Aluminum		per pull	26
LF	Locking Face			75
HDL	Hinged Door Lock		per door	75
POS	Pull Out Shelf			75
FBT	Finished Back & Top			94
CST	Casters, four per unit			87
Non-Standard Matte Laminate on Entire Unit (WilsonArt, Nevamar, Formica, Pionite)				add 40%

# MOD FILES & STORAGE PEDS


List Price



## MULTI-FILE PEDESTAL, 2 FILE DRAWERS ON UPPER

Model #	depth	width	height	weight	Black Vinyl Drawers	Plywood Drawers
MN3M 193128	19-1/2	30 7/8	28	146	N/A	1,017


1 file drawer 29" wide on bottom



## MULTI-FILE PEDESTAL, 2 BOX DRAWERS, 1 FILE DRAWER ON UPPER

MN4M 193128	19-1/2	30 7/8	28	146	N/A	1,149
-------------	--------	--------	----	-----	-----	-------


1 file drawer 29" wide on bottom



## PEDESTAL, 1 FILE DRAWER, 4 ADJUSTABLE SHELVES

MN1P 191628	19-1/2	16	28	70	515	532
MN1P 191928	19-1/2	19	28	81	N/A	565


Black Masonite adjustable shelves and back



## PEDESTAL, 1 FILE DRAWER, 1 PULL-OUT SHELF

MN1S 191628	19-1/2	16	28	70	515	532
MN1S 191928	19-1/2	19	28	81	N/A	565
MN1S 193028	19-1/2	30	28	98	774	809

Shelf has 10" clearance above, one cord access hole and black masonite back




## PEDESTAL, 1 PULL-OUT SHELF

MNPS 191628	19-1/2	16	28	49		408
MNPS 191928	19-1/2	19	28	59		440
MNPS 193028	19-1/2	30	28	71		514

Pull out shelf has 10" clearance above, two cord access holes in back

Fixed bottom shelf, black masonite back



## PEDESTAL, 1 PULL-OUT SHELF

MNPP 192428	19-1/2	24	28	75		474
MNPP 193628	19-1/2	36	28	120		577


One cord access hole in back, black masonite back

- NOTES:** All files and storage pedestals are designed for under work surface applications only  
 All pedestals have unfinished backs and tops  
 Storage pedestals are 3/4" thermofused melamine plastic laminate w/matching edge  
 All drawers feature drawer suspension  
 Drawer faces are attached onto 9-ply plywood drawer boxes  
 Plywood drawers are finished with a four step finishing process  
 Files are set up for standard and legal filing side-to-side  
 Storage pedestals 24" wide and wider are supplied with a black metal wire pull (MW)  
 see Options page for other colors  
 Adjustable glides are supplied to level pedestals

### OPTIONS:

HWP	Continuous hardwood pull	(up to 16" length of pull)	37
	Continuous hardwood pull	(24" - 36" length of pull)	68
SF	Soft Waterfall Pull - Black or Nickel		26
MF	Flexline Style Pull - Black		26
FS	Flat Surface Pull - Black or Aluminum		26
MW	Metal Wire Pull - Black, Brass, Aluminum, Chrome		12
LF	Locking Face (2 needed on Multi-File to lock all drawers)		75
POS	Pull Out Shelf		75
FBT	Finished Back & Top		94
FBF	Front to Back Filing (standard side-to-side)		30
	Non-Standard Matte Laminate on Entire Unit (WilsonArt, Nevamar, Formica, Pionite)		add 40%

# WALL MOUNTED BOOKCASES



Model #	depth	width	height	weight	List Price
<b>WALL MOUNTED BOOKCASE, OPEN, NO TOP</b>					
SNAN 123013	12	30	13	25	163
SNAN 123613	12	36	13	26	181
SNAN 124213	12	42	13	31	198
SNAN 124813	12	48	13	36	216
SNAN 126013	12	60	13	43	303
<b>WALL MOUNTED BOOKCASE, OPEN WITH TOP</b>					
SNANT 123016	12	30	16-1/4	32	220
SNANT 123616	12	36	16-1/4	35	240
SNANT 124216	12	42	16-1/4	42	275
SNANT 124816	12	48	16-1/4	48	309
SNANT 126016	12	60	16-1/4	57	385
<b>WALL MOUNTED BOOKCASE, FLIPPER DOOR (INSIDE)</b>					
SNFN 163016	16-3/8	30	16-1/4	56	381
SNFN 163616	16-3/8	36	16-1/4	63	385
SNFN 164216	16-3/8	42	16-1/4	70	432
SNFN 164816	16-3/8	48	16-1/4	78	486
SNFN 166016	16-3/8	60	16-1/4	93	665
<b>WALL MOUNTED BOOKCASE, TAMBOUR DOOR</b>					
SNTN 163016	16-3/8	30	16-1/4	39	533
SNTN 163616	16-3/8	36	16-1/4	47	545
SNTN 164216	16-3/8	42	16-1/4	55	630
SNTN 164816	16-3/8	48	16-1/4	63	656
SNTN 166016	16-3/8	60	16-1/4	79	910
<b>WALL MOUNTED BOOKCASE, HINGED DOOR</b>					
SNHN 163016	16-3/8	30	16-1/4	56	381
SNHN 163616	16-3/8	36	16-1/4	63	385
SNHN 164216	16-3/8	42	16-1/4	70	432
SNHN 164816	16-3/8	48	16-1/4	78	486
SNHN 166016	16-3/8	60	16-1/4	93	665
<b>WALL MOUNTED BOOKCASE, HINGED DOOR, ONE SHELF</b>					
SNHN 163030	16-3/8	30	30	68	625
SNHN 163630	16-3/8	36	30	81	640
SNHN 164230	16-3/8	42	30	94	734
SNHN 164830	16-3/8	48	30	108	765


No wire hoops provided

**NOTES:** Wall mounted units supplied with finished backs & concealed hardware for attachment  
 Material used is 3/4" thermofused melamine plastic laminate w/matching edge  
 Purchaser is responsible for investigating structural integrity of walls for anchoring  
 Shelving must not be anchored to temporary walls with aluminum studs  
 3 Wire Hoops per unit

**OPTIONS:**

HWP	Continuous hardwood pull	(up to 16" length of pull)	per pull	37
	Continuous hardwood pull	(24" - 36" length of pull)	per pull	68
HDL	Hinged Door Lock		per door	75
FDL	Flipper Door Lock		per door	75
TDL	Tambour Door Lock		per door	75
VAL	Valance (adds 3" to overall height on units under 30"H)			64
Non-Standard Matte Laminate on Entire Unit (WilsonArt, Nevamar, Formica, Pionite)				add 40%


# WALL MOUNTED BOOKCASES



Model #	depth	width	height	weight	List A	List B
---------	-------	-------	--------	--------	--------	--------

## TASK LIGHTS

TL-30		27-1/2		3		168
TL-36		33-1/2		3		184
TL-48		45-1/2		4		203
TL-60		57-1/2		5		254



## WALL MOUNTED CONFERENCE, WHITE BOARD


SWHN 064848*	6	48	48	148	1,383	1,205
SWHN 066048*	6	60	48	184	1,557	1,344
SWHN 067248*	6	72	48	222	1,870	1,603

Magnetic metal on back with white porcelain coated surface

170 Degree hinges are used on doors

Bottom shelf of cabinet is grooved to hold markers

\*Specify Borad Back: A for magnetic pocelain white or B for high pressure plastic marker



## WHITEBOARD WITH WOOD FRAME WITH 4" PENCIL TRAY

SNNN 026048*	2	60	48	60	1,344	1,131
SNNN 027248*	2	72	48	72	1,612	1,385
SNNN 029648*	2	96	48	96	2,149	1,793

Magnetic metal on back with white porcelain coated surface

Pencil tray is grooved to hold markers

\*Specify Borad Back: A for magnetic pocelain white or B for high pressure plastic marker

**NOTES:** Wall mounted units supplied with finished backs & concealed hardware for attachment  
Material used is 3/4" thermofused melamine plastic laminate w/matching edge  
Purchaser is responsible for investigating structural integrity of walls for anchoring shelving units  
Shelving must not be anchored to temporary walls with aluminum studs

## OPTIONS


HWP	Continuous hardwood pull	159
ATB	Accoustical Tack Board on doors	357
PS	Projection Screen 40" x 40"	256
PS	Projection Screen 50" x 50"	292
MR	Map Rails and two hooks	86
WE	Woodedge	232
HPLC	High Pressure Laminate Case	206
WB-A	Whiteboard inside of doors, magnetic porcelain	374
WB-B	Whiteboard inside of doors, high pressure plastic	290
VAL	Valance	92



# ACCOUSTICAL TACK BOARDS


Model #                      height    width    depth    weight                      List Price

## ACCOUSTICAL TACK BOARDS 12"




ATB 1236	12	36	1/2	3	99
ATB 1248	12	48	1/2	3	122
ATB 1260	12	60	1/2	5	146
ATB 1266	12	66	1/2	5	163
ATB 1272	12	72	1/2	6	175
ATB 1284	12	84	1/2	6	204
ATB 1296	12	96	1/2	8	233

## ACCOUSTICAL TACK BOARDS 19"



ATB 1936	19	36	1/2	3	105
ATB 1948	19	48	1/2	3	134
ATB 1960	19	60	1/2	5	152
ATB 1966	19	66	1/2	5	169
ATB 1972	19	72	1/2	6	181
ATB 1984	19	84	1/2	6	210
ATB 1996	19	96	1/2	8	239

## ACCOUSTICAL TACK BOARDS 24"



ATB 2436	24	36	1/2	6	122
ATB 2448	24	48	1/2	6	152
ATB 2460	24	60	1/2	10	169
ATB 2466	24	66	1/2	10	187
ATB 2472	24	72	1/2	12	198
ATB 2484	24	84	1/2	12	227
ATB 2496	24	96	1/2	14	257

List Prices use Guilford FR701 2100 series fabric  
Adhesive tape mounting

### OPTIONS

Cord Cover	88
------------	----